


Sks

Page 2




Industrial Lug

Page 2



Lug Drive Trac

Page 3



Deep Lug

Page 4



Crossbar

Page 5



Power Trac

Page 5



Grader

Page 6




ND Grader

Page 6



Backhoe

Page 6




Loader

Page 6



Supergrip

Page 7




Wide Base Rib

Page 7



Wide Base Lug

Page 7



Waste Hauler Rib


Page 8



Slick

Page 9-10

Tire Size	Tread #	Pneumatic	Filled	Solid
10.5/80-18	9	163.12	192.48	xxx
10.5-20	9	180.50	212.99	xxx
10-16.5	9	138.35	163.25	179.58
11L-15	9	159.37	188.06	xxx
11L-16	9	161.35	190.39	xxx
12.4-16	10.5	216.93	255.98	xxx
12.5/80-18	10.5	228.96	270.17	xxx
12.5-20	10.5	253.79	299.47	xxx
12-16.5	10.5	191.62	226.11	xxx
14.5/75-16.1	10.5	212.27	250.47	xxx
250-15	9	140.83	166.18	182.80
26-12-12	10.5	146.42	172.78	xxx
27-10.5-15	9	130.88	154.44	xxx
27-10-12	9	123.60	145.85	xxx
27-8.5-15	9	122.00	143.96	xxx
30-10-16	9	xxx	xxx	173.50
31-10-20	9	xxx	xxx	188.89
31.5-13-16.5	10.5	190.34	224.60	247.06
33-12-20	10.5	xxx	xxx	245.67
700-12	9	126.75	149.56	164.52
700-15	9	140.83	166.18	182.80
825-15	9	158.44	186.95	205.65



SKS


# 9

Base Width 8¾"  
Tread Depth 25/32

#10.5

Base Width 10½"  
Tread Depth 26/32

Tire Size	Tread #	Pneumatic	Filled	Solid
18-7-8	4	69.88	82.46	90.70
21-8-9	6	90.05	106.26	116.89
23-9-10	7	111.33	131.37	144.51
28-9-15	7	137.96	162.79	179.07
570-12	3	82.00	96.76	106.43
600-9	3	78.26	92.35	101.58
650-10	3	84.49	99.69	109.66
650-10	4	92.20	108.80	119.68
650-10	6	101.85	120.18	132.20
650-16	4	116.47	137.43	151.17
700-12	4	104.82	123.69	136.06
700-15	4	116.47	137.43	151.17
700-15	6	128.65	151.81	166.99
750-10	6	111.50	131.56	144.72
750-15	6	132.94	156.87	172.55
750-16	6	142.42	168.06	184.87
825-15	6	144.73	170.78	187.86
825-15	7	163.37	192.78	212.05
825-20	7	183.94	217.05	238.76



Industrial Lug

# 3

Base Width 5 9/16"  
Tread Depth 24/32

#4

Base Width 6 3/8"  
Tread Depth 24/32


#6

Base Width 7"  
Tread Depth 24/32

#7

Base Width 7 5/8"  
Tread Depth 24/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1000-20	9	215.46	254.24	279.67
1000-20	10	300.98	355.16	390.68
10-16.5	10	217.34	256.46	XXX
1100-20	9	217.97	257.20	282.92
1100-20	10	304.48	359.29	395.22
1100-20	12	361.49	426.56	469.21
1200-20	10	316.73	373.74	411.12
1200-20	12	376.03	443.72	488.09
12-16.5	12	277.64	327.62	360.38
12-16.5	13	287.43	339.16	373.08
1300-24	13	436.95	515.60	567.16
1400-20	13	412.94	487.28	536.00
1400-24	13	464.39	547.98	602.78
14-17.5	13	323.39	381.60	XXX
15.5-25	13	447.36	527.88	XXX
15.5-25	16	528.33	623.43	XXX
15-19.5	13	357.97	422.41	464.65
16-22.5	16	453.25	534.83	588.31
17.5-25	16	558.81	659.40	725.34
19.5L-24	16	542.45	640.09	704.10
20.5-25	16	652.97	770.51	847.56
300-15	10	249.04	293.87	323.25
31-10-20	10	XXX	XXX	281.65
33-10-20	10	XXX	XXX	303.55
33-12-20	12	XXX	XXX	360.38
36-14-20	13	XXX	XXX	423.54
370/75-28	13	452.29	533.70	587.07
400/75-28	16	552.35	651.78	716.95



Lug Drive Trac

#9

Base Width 8½"  
Tread Depth 28/32

#10

Base Width 9 5/8"  
Tread Depth 35/32

#12

Base Width 10 3/8"  
Tread Depth 35/32


#13

Base Width 12¾"  
Tread Depth 36/32

#16

Base Width 15½"  
Tread Depth 32/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1000-20	8	223.51	263.74	290.12
1000-20	9	230.50	271.99	299.18
1000-20	10	281.76	332.47	365.72
1000-20	13	290.56	342.87	377.15
10-16.5	13	199.15	234.99	258.49
1100-20	12	308.51	364.04	400.44
1200-20	13	290.22	342.46	376.71
1200-20	15	352.31	415.73	457.30
12-16.5	15	260.13	306.95	337.64
12-5-80-18	13	256.04	302.12	332.33
12.5-80-18	15	310.81	366.76	403.43
1300-24	15	395.45	466.63	513.29
1300-24	16	507.42	598.76	658.63
1400-24	15	420.28	495.93	545.53
1400-24	16	539.29	636.37	700.00
1400-25	16	549.28	648.15	712.97
14-17.5	16	375.55	443.15	487.46
15-19.5	16	437.98	516.82	568.50
15.5-25	16	519.51	613.02	xxx
17.5-25	16	549.48	648.39	xxx
17.5-25	17	846.94	999.39	xxx
20.5-25	17	939.33	1108.41	1219.25
21-8-9	6	92.81	109.52	120.47
23-10-12	9	127.20	150.09	165.10
23-9-10	7	112.08	132.25	145.48
250-15	7	138.76	163.73	180.11
250-15	8	148.01	174.65	192.12
250-15	9	152.63	180.11	198.12
27-10-12	9	141.14	166.54	183.19
27-8.5-15	7	133.42	157.44	173.18
28-12.50-15	15	229.68	271.03	298.13
28-9-15	8	140.61	165.92	182.51
28-9-15	9	145.00	171.10	188.21
300-15	13	228.19	269.27	296.20
300-15	15	277.01	326.88	359.57
31-6-10	13	XXX	XXX	271.90
31-10-20	13	XXX	XXX	271.90
33-6-11	15	XXX	XXX	351.37
33-12-20	15	XXX	XXX	351.37
33x15.5x16.5	16	347.35	409.88	450.86
355-65-15	15	264.72	312.37	343.61
570-12	6	99.51	117.42	129.16
600-9	6	94.97	112.07	123.27
650-10	6	102.53	120.98	133.08
700-12	6	116.56	137.54	151.29
700-15	6	129.51	152.82	168.10
750-15	6	133.82	157.91	173.70
750-16	6	150.09	177.11	194.82
825-15	7	156.10	184.20	202.62
825-15	8	166.51	196.48	216.13
825-20	8	187.48	221.22	243.35
900-20	9	208.60	246.15	270.76



Deep Lug

#6  
Base Width 7"  
Tread Depth 28/32

#7  
Base Width 7 5/8"  
Tread Depth 28/32

#8  
Base Width 7 15/16"  
Tread Depth 28/32

#9  
Base Width 8 1/2"  
Tread Depth 28/32

#10  
Base Width 8 7/8"  
Tread Depth 32/32


#13  
Base Width 9 5/8"  
Tread Depth 32/32

#15  
Base Width 11"  
Tread Depth 32/32

#16  
Base Width 12 1/2"  
Tread Depth 40/32

#17  
Base Width 16 3/4"  
Tread Depth 40/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1000-20	9	181.60	214.29	235.72
1200-20	9	191.11	225.50	248.05
18-7-8	5	59.39	70.08	77.09
200-50-10	6	61.40	72.45	79.70
21-8-9	6	73.34	86.54	95.19
23-10-12	9	105.58	124.59	137.05
23-7.5-12	7	82.94	97.87	107.66
23-9-10	9	97.14	114.62	126.08
24-9-15	9	120.36	142.03	156.23
250-15	9	126.70	149.51	164.46
27-10-12	9	117.20	138.29	152.12
28-9-15	8	111.11	131.10	144.22
400-8	1	32.38	38.21	42.03
500-8	1	36.24	42.77	47.04
570-12	1	44.56	52.58	57.83
600-9	1	42.53	50.18	55.20
650-10	5	75.23	88.77	97.65
700-12	3	65.79	77.63	85.39
700-15	6	102.33	120.75	132.83
750-10	6	88.69	104.65	115.12
750-15	7	110.78	130.72	143.79
750-16	7	116.14	137.05	150.75
825-15	7	120.61	142.32	156.55
825-15	8	131.57	155.26	170.78
825-20	8	148.14	174.81	192.29
900-20	9	173.16	204.32	224.76



Crossbar

#1

Base Width 5 1/16"  
Tread Depth 14/32

#3

Base Width 6"  
Tread Depth 13/32

#5

Base Width 6 7/16"  
Tread Depth 17/32

#6

Base Width 7"  
Tread Depth 18/32

#7

Base Width 7 9/16"  
Tread Depth 19/32

#9

Base Width 8 5/8"  
Tread Depth 20/32

Tire Size	Tread #	Pneumatic	Filled	Solid
23-9-10	7	xxx	192.12	211.33
28-9-15	7	xxx	240.36	264.39
600-9	3	xxx	113.27	124.59
600-9	4	xxx	139.58	153.53
650-10	3	xxx	122.28	134.51
650-10	4	xxx	143.02	157.32
700-12	4	xxx	162.59	178.85
750-10	3	xxx	133.86	147.25
750-10	4	xxx	156.57	172.22
750-15	7	xxx	261.44	287.59
825-15	7	xxx	284.64	313.10



PowerTrac

#3

Base Width 5 9/16"  
Tread Depth 36/32

#4

Base Width 6 3/8"  
Tread Depth 36/32

#7

Base Width 7 5/8"  
Tread Depth 36/32

Tire Size	Tread #	Pneumatic	Filled	Solid
12.5-80-18	12	275.59	325.19	xxx
1300-24	12	332.80	392.70	xxx
14.5-20	12	305.48	360.47	xxx
14.9-24	12	347.59	410.16	xxx
1400-20	12	331.37	391.01	xxx
1400-24	12	353.70	417.37	xxx
15.5-25	12	358.98	423.60	xxx
15.5-15	12	214.01	252.53	xxx
15-19.5	12	287.25	338.96	xxx
15-22.5	12	299.75	353.71	xxx
33-15.5-16.5	12	227.95	268.99	xxx
36-14-20	12	248.53	293.26	xxx



Directional Grader

#12  
Base Width 12"  
Tread Depth 31/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1300-24	12	335.78	396.22	xxx
14.5-20	12	292.54	345.20	xxx
14.9-24	13	359.86	424.63	xxx
1400-24	13	385.80	455.25	xxx
14-17.5	12	248.51	293.24	xxx
15.5-25	13	371.65	438.55	xxx
15-19.5	13	297.39	350.92	xxx
15-22.5	13	310.33	366.19	xxx
16.9-24	12	351.65	414.94	xxx
16.9-28	13	408.60	482.15	xxx
33-15.5-16.5	13	236.00	278.48	xxx



Non Directional Grader

#12  
Base Width 11 15/16"  
Tread Depth 32/32

#13  
Base Width 12 3/4"  
Tread Depth 32/32


Tire Size	Tread #	Pneumatic	Filled	Solid
14.9-24	18	447.14	527.62	xxx
15.5-25	18	461.79	544.91	xxx
15-625	18	392.96	463.70	xxx
16.5/80-24	18	508.33	599.83	xxx
16.9-24	18	497.66	587.24	xxx
16.9-28	18	534.90	631.18	xxx
17.5/65-20	18	402.32	474.74	xxx
17.5-25	18	488.43	576.35	xxx



Backhoe

#18  
Base Width 14 5/8"  
Tread Depth 35/32

Tire Size	Tread #	Pneumatic	Filled	Solid
16.9-24	19	437.09	515.77	xxx
16.9-28	19	469.80	554.36	xxx
17.5-25	19	476.18	561.89	xxx
17.5L-24	19	413.43	487.84	xxx
18.4-28	19	511.33	603.37	xxx
19.5L-24	19	438.74	517.71	xxx
20.5-25	19	528.13	623.19	xxx
21L-24	19	460.68	543.60	xxx
400-75-28	19	424.03	500.35	xxx



Loader

#19  
Base Width 16 3/4"  
Tread Depth 35/32

Tire Size	Tread #	Pneumatic	Filled	Solid
40-19-19.5	7 (x2)	252.85	298.36	xxx




Super Grip

#7

Base Width 7 5/16"

Tread Depth 17/32

Tire Size	Tread #	Pneumatic	Filled	Solid
33-16-17.5	11	200.58	236.68	xxx
33-16-17.5	13	210.52	248.41	xxx



Wide Base Rib

#11

Base Width 11 1/4"

Tread Depth 16/32

#13

Base Width 13 1/8"

Tread Depth 16/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1100-20	12	279.00	329.22	362.14
1200-20	12	290.22	342.46	376.71
1200-20	14	302.78	357.28	393.01
17.5/65-20	14	303.14	357.70	393.47
18-19.5	14	312.16	368.35	405.18
31-15.5-15	14	218.54	257.88	283.67
355-65-15	12	218.07	257.32	283.05
355-65-15	14	227.50	268.45	295.30
425/65R-22.5	14	312.16	368.35	405.18



Wide Base Lug

#12

Base Width 12 1/8"


Tread Depth 21/32

#14

Base Width 13 1/2"

Tread Depth 21/32

Tire Size	Tread #	Pneumatic	Filled	Solid
10.5-80-18	9	212.30	250.51	xxx
1000-15	8	201.07	237.26	260.99
1000-20	8	229.87	271.25	298.37
1000-20	9	240.66	283.97	312.37
1000-22	8	240.95	284.32	312.75
1000-22	9	252.25	297.66	327.43
10-16.5	9	180.06	212.47	xxx
10-17.5	7	143.17	168.94	xxx
10-22.5	7	165.45	195.23	xxx
10-22.5	8	222.12	262.10	xxx
1100-20	9	252.25	297.66	327.43
1100-22	9	256.89	303.13	333.45
11-17.5	8	201.07	237.26	xxx
11-22.5	8	229.87	271.25	xxx
11-24.5	8	240.95	284.32	xxx
11-24.5	9	252.25	297.66	xxx
11L-15 SL	10.5	204.59	241.42	xxx
11L-16 SL	10.5	207.13	244.41	xxx
12.5-80-18	11.5	273.64	322.90	xxx
1200-20	11	299.35	353.23	388.56
12-16.5	11.5	229.02	270.24	xxx
12-22.5	9	247.61	292.19	xxx
1300-24	12	362.18	427.37	xxx
14.5-19.5	12	278.46	328.59	xxx
1400-20	12	342.28	403.90	444.28
1400-24	13	410.35	484.22	532.64
14-17.5	12	268.05	316.30	xxx
15.5-25	14	419.80	495.36	xxx
15-19.5	13	316.32	373.26	xxx
15-22.5	13	330.08	389.49	xxx
17.5-25	14	444.02	523.94	xxx
23-8.5-12	7	95.76	113.00	xxx
26-12-12	11.5	175.00	206.50	xxx
26-12-16.5	11.5	178.22	210.30	xxx
27-10-12	8	153.65	181.31	199.44
27-8.5-15	7	112.97	133.30	xxx
29-12.5-15	11.5	198.79	234.57	xxx
31.5-13-16.5	11.5	216.06	254.95	xxx
31-10.5-15	9	179.77	212.13	xxx
31-15.5-15	13	236.04	278.53	xxx
31-15.5-15	14	250.67	295.79	xxx
320-80-18	11	256.78	303.00	xxx
33-15.5-16.5	13	251.02	296.20	xxx
380-65-19.5	12	278.46	328.59	xxx
385-65-22.5	13	330.08	389.49	xxx
825-20	7	158.43	186.95	205.65
900-20	8	222.12	262.10	288.31
9-22.5	7	158.43	186.95	205.65



Waste Hauler Rib

#7  
Base Width 7 11/16"  
Tread Depth 25/32

#8  
Base Width 8"  
Tread Depth 26/32

#9  
Base Width 8 5/8"  
Tread Depth 26/32

#11.5  
Base Width 10 1/2"  
Tread Depth 26/32

#11.75  
Base Width 11 3/8"  
Tread Depth 20/32

#12  
Base Width 11 7/8"  
Tread Depth 20/32

#13  
Base Width 12 3/4"  
Tread Depth 20/32

#14  
Base Width 13 1/4"  
Tread Depth 20/32



Tire Size	BW	TD	Pneumatic	Filled	Solid
1000-20	9	¾	259.47	303.58	337.31
1000-20	9	1	345.96	404.78	449.75
1000-20	10	¾	288.30	337.31	374.79
1000-20	10	1	384.40	449.75	499.72
10-16.5	10	¾	208.18	243.57	270.63
10-16.5	10	1	277.57	324.76	360.85
1100-20	10	¾	291.65	341.23	379.15
1100-20	10	1	388.87	454.98	505.53
1200-20	11	¾	333.73	390.46	433.84
1200-20	11	1	444.97	520.61	578.46
12-16.5	11	¾	246.40	288.29	320.33
12-16.5	11	1	328.54	384.39	427.10
12-5-80-18	10	¾	267.65	313.15	347.95
12-5-80-18	10	1	356.87	417.54	463.93
1300-24	12	¾	408.64	478.11	531.23
1300-24	12	1	544.85	637.47	708.30
1400-24	12	¾	434.30	508.13	564.59
1400-24	12	1	579.07	677.51	752.79
1400-25	12	¾	442.35	517.55	575.05
1400-25	12	1	589.80	690.06	766.74
14-17.5	12	¾	302.43	353.85	393.17
14-17.5	12	1	403.25	471.80	524.22
15-19.5	12	¾	334.78	391.69	435.21
15-19.5	12	1	446.37	522.25	580.28
15.5-25	12	¾	418.37	489.50	543.88
15.5-25	12	1	557.83	652.66	725.18
17.5-25	12	¾	442.51	517.74	575.26
17.5-25	12	1	590.01	690.31	767.02
20.5-25	16	¾	654.38	765.62	850.69
20.5-25	16	1	872.50	1020.83	1134.25
21-8-9	8	¾	115.32	134.93	149.92
21-8-9	8	1	153.76	179.90	199.89
23-10-12	9	¾	150.86	176.50	196.11
23-10-12	9	1	201.14	235.33	261.48
23-9-10	8	¾	123.37	144.34	160.38
23-9-10	8	1	164.49	192.45	213.83
250-15	9	¾	181.03	211.80	235.33
250-15	9	1	241.37	282.40	313.78
27-10-12	9	¾	167.39	195.85	217.61
27-10-12	9	1	223.19	261.13	290.14
27-8.5-15	8	¾	146.86	171.83	190.92
27-8.5-15	8	1	195.81	229.10	254.56
28-12.50-15	11	¾	217.57	254.55	282.84
28-12.50-15	11	1	290.09	339.40	377.12
28-9-15	8	¾	152.87	178.85	198.73
28-9-15	8	1	203.82	238.47	264.97
300-15	10	¾	226.42	264.91	294.34
300-15	10	1	301.89	353.21	392.46
31-6-10	10	¾	207.85	243.18	270.20
31-6-10	10	1	277.13	324.24	360.27
31-10-20	10	¾	207.85	243.18	270.20
31-10-20	10	1	277.13	324.24	360.27
33-6-11	11	¾	243.38	284.75	316.39
33-6-11	11	1	324.51	379.67	421.86
33-12-20	11	¾	243.38	284.75	316.39
33-12-20	11	1	324.51	379.67	421.86



Slick

BW = Base Width

TD = Tread Depth

Tire Size	BW	TD	Pneumatic	Filled	Solid
33x15.5x16.5	12	3/4	265.51	310.64	345.16
33x15.5x16.5	12	1	354.01	414.19	460.21
355-65-15	11	3/4	250.76	293.38	325.98
355-65-15	11	1	334.34	391.18	434.64
570-12	7	3/4	108.18	126.57	140.63
570-12	7	1	144.24	168.76	187.51
600-9	7	3/4	103.25	120.81	134.23
600-9	7	1	137.67	161.07	178.97
650-10	7	3/4	111.47	130.41	144.91
650-10	7	1	148.62	173.89	193.21
700-12	7	3/4	126.72	148.26	164.73
700-12	7	1	168.96	197.68	219.65
700-15	7	3/4	140.80	164.73	183.04
700-15	7	1	187.73	219.65	244.05
750-15	7	3/4	145.49	170.23	189.14
750-15	7	1	193.99	226.97	252.19
750-16	7	3/4	154.88	181.21	201.34
750-16	7	1	206.50	241.61	268.46
825-15	8	3/4	181.03	211.80	235.33
825-15	8	1	241.37	282.40	313.78
825-20	8	3/4	203.82	238.47	264.97
825-20	8	1	271.76	317.96	353.29
900-20	9	3/4	247.40	289.46	321.62
900-20	9	1	329.87	385.95	428.83



Slick

BW = Base Width

TD = Tread Depth