



Page 2



Page 2



Page 3



Page 4



Page 5



Page 5




Page 6



Page 6




Page 6



Page 6




Page 7



Page 7



Page 7




Page 8



Page 9-10

Tire Size	Tread #	Pneumatic	Filled	Solid
10.5/80-18	9	171.28	202.11	xxx
10.5-20	9	189.52	223.64	xxx
10-16.5	9	145.27	171.41	188.56
11L-15	9	167.34	197.46	xxx
11L-16	9	169.41	199.91	xxx
12.4-16	10.5	227.78	268.78	xxx
12.5/80-18	10.5	240.40	283.68	xxx
12.5-20	10.5	266.48	314.44	xxx
12-16.5	10.5	201.20	237.41	xxx
14.5/75-16.1	10.5	222.88	263.00	xxx
250-15	9	147.87	174.49	191.94
26-12-12	10.5	153.74	181.42	xxx
27-10.5-15	9	137.42	162.16	xxx
27-10-12	9	129.78	153.14	xxx
27-8.5-15	9	128.10	151.15	xxx
30-10-16	9	xxx	xxx	182.18
31-10-20	9	xxx	xxx	198.34
31.5-13-16.5	10.5	199.86	235.83	259.42
33-12-20	10.5	xxx	xxx	257.95
700-12	9	133.09	157.04	172.75
700-15	9	147.87	174.49	191.94
825-15	9	166.36	196.30	215.93



SKS


9

Base Width 8¾"
Tread Depth 25/32

#10.5

Base Width 10½"
Tread Depth 26/32

Tire Size	Tread #	Pneumatic	Filled	Solid
18-7-8	4	73.37	86.58	95.24
21-8-9	6	94.56	111.58	122.73
23-9-10	7	116.90	137.94	151.74
28-9-15	7	144.85	170.93	188.02
570-12	3	86.10	101.59	111.75
600-9	3	82.17	96.97	106.66
650-10	3	88.71	104.68	115.15
650-10	4	96.81	114.24	125.66
650-10	6	106.94	126.19	138.81
650-16	4	122.29	144.30	158.73
700-12	4	110.06	129.87	142.86
700-15	4	122.29	144.30	158.73
700-15	6	135.08	159.40	175.34
750-10	6	117.07	138.14	151.96
750-15	6	139.58	164.71	181.18
750-16	6	149.54	176.46	194.11
825-15	6	151.97	179.32	197.25
825-15	7	171.54	202.41	222.66
825-20	7	193.14	227.90	250.69



Industrial Lug

3

Base Width 5 9/16"
Tread Depth 24/32

#4

Base Width 6 3/8"
Tread Depth 24/32


#6

Base Width 7"
Tread Depth 24/32

#7

Base Width 7 5/8"
Tread Depth 24/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1000-20	9	226.23	266.96	293.65
1000-20	10	316.03	372.92	410.21
10-16.5	10	228.20	269.28	XXX
1100-20	9	228.86	270.06	297.07
1100-20	10	319.71	377.25	414.98
1100-20	12	379.56	447.88	492.67
1200-20	10	332.57	392.43	431.67
1200-20	12	394.83	465.90	512.49
12-16.5	12	291.52	344.00	378.40
12-16.5	13	301.80	356.12	391.73
1300-24	13	458.79	541.38	595.52
1400-20	13	433.59	511.64	562.80
1400-24	13	487.61	575.38	632.92
14-17.5	13	339.56	400.68	XXX
15.5-25	13	469.72	554.28	XXX
15.5-25	16	554.75	654.60	XXX
15-19.5	13	375.87	443.53	487.88
16-22.5	16	475.91	561.57	617.73
17.5-25	16	586.75	692.37	761.60
19.5L-24	16	569.58	672.10	739.31
20.5-25	16	685.62	809.04	889.94
300-15	10	261.49	308.56	339.42
31-10-20	10	XXX	XXX	295.73
33-10-20	10	XXX	XXX	318.72
33-12-20	12	XXX	XXX	378.40
36-14-20	13	XXX	XXX	444.71
370/75-28	13	474.90	560.39	616.42
400/75-28	16	579.97	684.36	752.80



Lug Drive Trac

#9

Base Width 8½"
Tread Depth 28/32

#10

Base Width 9 5/8"
Tread Depth 35/32

#12

Base Width 10 3/8"
Tread Depth 35/32


#13

Base Width 12¾"
Tread Depth 36/32

#16

Base Width 15½"
Tread Depth 32/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1000-20	8	234.69	276.93	304.62
1000-20	9	242.02	285.58	314.14
1000-20	10	295.84	349.10	384.01
1000-20	13	305.09	360.01	396.01
10-16.5	13	209.10	246.74	271.42
1100-20	12	323.93	382.24	420.46
1200-20	13	304.73	359.58	395.54
1200-20	15	369.93	436.51	480.17
12-16.5	15	273.13	322.30	354.53
12-5-80-18	13	268.84	317.23	348.95
12.5-80-18	15	326.35	385.10	423.61
1300-24	15	415.22	489.96	538.95
1300-24	16	532.79	628.70	691.57
1400-24	15	441.30	520.73	572.80
1400-24	16	566.26	668.18	735.00
1400-25	16	576.75	680.56	748.62
14-17.5	16	394.32	465.30	511.83
15-19.5	16	459.88	542.66	596.92
15.5-25	16	545.49	643.67	xxx
17.5-25	16	576.96	680.81	xxx
17.5-25	17	889.29	1049.36	xxx
20.5-25	17	986.30	1163.83	1280.22
21-8-9	6	97.45	115.00	126.50
23-10-12	9	133.55	157.59	173.35
23-9-10	7	117.68	138.87	152.75
250-15	7	145.70	171.92	189.11
250-15	8	155.41	183.38	201.72
250-15	9	160.27	189.11	208.03
27-10-12	9	148.19	174.87	192.35
27-8.5-15	7	140.10	165.31	181.84
28-12.50-15	15	241.17	284.58	313.04
28-9-15	8	147.64	174.21	191.64
28-9-15	9	152.25	179.66	197.62
300-15	13	239.60	282.73	311.01
300-15	15	290.87	343.22	377.54
31-6-10	13	XXX	XXX	285.50
31-10-20	13	XXX	XXX	285.50
33-6-11	15	XXX	XXX	368.94
33-12-20	15	XXX	XXX	368.94
33x15.5x16.5	16	364.72	430.37	473.41
355-65-15	15	277.96	327.99	360.79
570-12	6	104.48	123.29	135.62
600-9	6	99.72	117.67	129.44
650-10	6	107.65	127.03	139.73
700-12	6	122.38	144.41	158.86
700-15	6	135.98	160.46	176.51
750-15	6	140.52	165.81	182.39
750-16	6	157.59	185.96	204.56
825-15	7	163.91	193.41	212.75
825-15	8	174.84	206.31	226.94
825-20	8	196.85	232.29	255.51
900-20	9	219.03	258.46	284.30



Deep Lug

#6
Base Width 7"
Tread Depth 28/32

#7
Base Width 7 5/8"
Tread Depth 28/32

#8
Base Width 7 15/16"
Tread Depth 28/32

#9
Base Width 8 1/2"
Tread Depth 28/32

#10
Base Width 8 7/8"
Tread Depth 32/32

#13
Base Width 9 5/8"
Tread Depth 32/32

#15
Base Width 11"
Tread Depth 32/32

#16
Base Width 12 1/2"
Tread Depth 40/32

#17
Base Width 16 3/4"
Tread Depth 40/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1000-20	9	190.68	225.01	247.51
1200-20	9	200.66	236.78	260.46
18-7-8	5	62.36	73.58	80.94
200-50-10	6	64.47	76.08	83.68
21-8-9	6	77.01	90.87	99.95
23-10-12	9	110.86	130.82	143.90
23-7.5-12	7	87.09	102.77	113.04
23-9-10	9	101.99	120.35	132.39
24-9-15	9	126.38	149.13	164.04
250-15	9	133.03	156.98	172.68
27-10-12	9	123.06	145.21	159.73
28-9-15	8	116.66	137.66	151.43
400-8	1	34.00	40.12	44.13
500-8	1	38.06	44.91	49.40
570-12	1	46.78	55.20	60.72
600-9	1	44.65	52.69	57.96
650-10	5	78.99	93.21	102.53
700-12	3	69.08	81.51	89.66
700-15	6	107.45	126.79	139.47
750-10	6	93.12	109.89	120.88
750-15	7	116.32	137.26	150.98
750-16	7	121.95	143.90	158.29
825-15	7	126.64	149.43	164.38
825-15	8	138.15	163.02	179.32
825-20	8	155.55	183.55	201.90
900-20	9	181.81	214.54	235.99



Crossbar

#1

Base Width 5 1/16"
Tread Depth 14/32

#3

Base Width 6"
Tread Depth 13/32

#5

Base Width 6 7/16"
Tread Depth 17/32

#6

Base Width 7"
Tread Depth 18/32

#7

Base Width 7 9/16"
Tread Depth 19/32

#9

Base Width 8 5/8"
Tread Depth 20/32

Tire Size	Tread #	Pneumatic	Filled	Solid
23-9-10	7	xxx	201.72	221.89
28-9-15	7	xxx	252.38	277.61
600-9	3	xxx	118.93	130.82
600-9	4	xxx	146.56	161.21
650-10	3	xxx	128.39	141.23
650-10	4	xxx	150.17	165.19
700-12	4	xxx	170.72	187.79
750-10	3	xxx	140.56	154.61
750-10	4	xxx	164.40	180.83
750-15	7	xxx	274.52	301.97
825-15	7	xxx	298.87	328.75



PowerTrac

3

Base Width 5 9/16"
Tread Depth 36/32

#4

Base Width 6 3/8"
Tread Depth 36/32

#7

Base Width 7 5/8"
Tread Depth 36/32

Tire Size	Tread #	Pneumatic	Filled	Solid
12.5-80-18	12	289.37	341.45	xxx
1300-24	12	349.44	412.34	xxx
14.5-20	12	320.75	378.49	xxx
14.9-24	12	364.97	430.67	xxx
1400-20	12	347.94	410.57	xxx
1400-24	12	371.39	438.24	xxx
15.5-25	12	376.93	444.78	xxx
15.5-15	12	224.71	265.16	xxx
15-19.5	12	301.62	355.91	xxx
15-22.5	12	314.74	371.39	xxx
33-15.5-16.5	12	239.35	282.43	xxx
36-14-20	12	260.95	307.92	xxx



Directional Grader

#12
Base Width 12"
Tread Depth 31/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1300-24	12	352.57	416.03	xxx
14.5-20	12	307.17	362.46	xxx
14.9-24	13	377.85	445.87	xxx
1400-24	13	405.09	478.01	xxx
14-17.5	12	260.94	307.91	xxx
15.5-25	13	390.23	460.48	xxx
15-19.5	13	312.26	368.47	xxx
15-22.5	13	325.85	384.50	xxx
16.9-24	12	369.23	435.69	xxx
16.9-28	13	429.03	506.26	xxx
33-15.5-16.5	13	247.80	292.40	xxx



Non Directional Grader

#12
Base Width 11 15/16"
Tread Depth 32/32

#13
Base Width 12 3/4"
Tread Depth 32/32


Tire Size	Tread #	Pneumatic	Filled	Solid
14.9-24	18	469.49	554.00	xxx
15.5-25	18	484.88	572.16	xxx
15-625	18	412.61	486.88	xxx
16.5/80-24	18	533.74	629.82	xxx
16.9-24	18	522.54	616.60	xxx
16.9-28	18	561.64	662.74	xxx
17.5/65-20	18	422.44	498.47	xxx
17.5-25	18	512.85	605.16	xxx



Backhoe

#18
Base Width 14 5/8"
Tread Depth 35/32

Tire Size	Tread #	Pneumatic	Filled	Solid
16.9-24	19	458.95	541.56	xxx
16.9-28	19	493.29	582.08	xxx
17.5-25	19	499.99	589.99	xxx
17.5L-24	19	434.10	512.24	xxx
18.4-28	19	536.90	633.54	xxx
19.5L-24	19	460.67	543.59	xxx
20.5-25	19	554.53	654.35	xxx
21L-24	19	483.71	570.78	xxx
400-75-28	19	445.23	525.37	xxx




Loader

#19
Base Width 16 3/4"

Tread Depth 35/32

Tire Size	Tread #	Pneumatic	Filled	Solid
40-19-19.5	7 (x2)	265.49	313.28	xxx




Super Grip

#7

Base Width 7 5/16"

Tread Depth 17/32

Tire Size	Tread #	Pneumatic	Filled	Solid
33-16-17.5	11	210.60	248.51	xxx
33-16-17.5	13	221.04	260.83	xxx



Wide Base Rib

#11

Base Width 11 1/4"

Tread Depth 16/32

#13

Base Width 13 1/8"

Tread Depth 16/32

Tire Size	Tread #	Pneumatic	Filled	Solid
1100-20	12	292.95	345.68	380.24
1200-20	12	304.73	359.58	395.54
1200-20	14	317.92	375.14	412.66
17.5/65-20	14	318.29	375.59	413.15
18-19.5	14	327.77	386.77	425.44
31-15.5-15	14	229.47	270.77	297.85
355-65-15	12	228.97	270.18	297.20
355-65-15	14	238.88	281.88	310.06
425/65R-22.5	14	327.77	386.77	425.44



Wide Base Lug

#12

Base Width 12 1/8"


Tread Depth 21/32

#14

Base Width 13 1/2"

Tread Depth 21/32

Tire Size	Tread #	Pneumatic	Filled	Solid
10.5-80-18	9	222.91	263.04	xxx
1000-15	8	211.12	249.12	274.03
1000-20	8	241.36	284.81	313.29
1000-20	9	252.69	298.17	327.99
1000-22	8	253.00	298.54	328.39
1000-22	9	264.87	312.54	343.80
10-16.5	9	189.06	223.09	xxx
10-17.5	7	150.33	177.38	xxx
10-22.5	7	173.72	204.99	xxx
10-22.5	8	233.22	275.20	xxx
1100-20	9	264.87	312.54	343.80
1100-22	9	269.74	318.29	350.12
11-17.5	8	211.12	249.12	xxx
11-22.5	8	241.36	284.81	xxx
11-24.5	8	253.00	298.54	xxx
11-24.5	9	264.87	312.54	xxx
11L-15 SL	10.5	214.82	253.49	xxx
11L-16 SL	10.5	217.48	256.63	xxx
12.5-80-18	11.5	287.32	339.04	xxx
1200-20	11	314.32	370.89	407.98
12-16.5	11.5	240.47	283.75	xxx
12-22.5	9	260.00	306.79	xxx
1300-24	12	380.29	448.74	xxx
14.5-19.5	12	292.39	345.01	xxx
1400-20	12	359.40	424.09	466.50
1400-24	13	430.87	508.43	559.27
14-17.5	12	281.45	332.12	xxx
15.5-25	14	440.79	520.13	xxx
15-19.5	13	332.13	391.92	xxx
15-22.5	13	346.58	408.97	xxx
17.5-25	14	466.22	550.14	xxx
23-8.5-12	7	100.55	118.65	xxx
26-12-12	11.5	183.75	216.83	xxx
26-12-16.5	11.5	187.14	220.82	xxx
27-10-12	8	161.34	190.38	209.41
27-8.5-15	7	118.61	139.96	xxx
29-12.5-15	11.5	208.73	246.30	xxx
31.5-13-16.5	11.5	226.87	267.70	xxx
31-10.5-15	9	188.76	222.73	xxx
31-15.5-15	13	247.84	292.46	xxx
31-15.5-15	14	263.20	310.58	xxx
320-80-18	11	269.62	318.15	xxx
33-15.5-16.5	13	263.57	311.01	xxx
380-65-19.5	12	292.39	345.01	xxx
385-65-22.5	13	346.58	408.97	xxx
825-20	7	166.35	196.30	215.93
900-20	8	233.22	275.20	302.72
9-22.5	7	166.35	196.30	215.93



Waste Hauler Rib

#7

Base Width 7 11/16"
Tread Depth 25/32

#8

Base Width 8"
Tread Depth 26/32

#9

Base Width 8 5/8"
Tread Depth 26/32

#11.5

Base Width 10 1/2"
Tread Depth 26/32

#11.75

Base Width 11 3/8"
Tread Depth 20/32

#12

Base Width 11 7/8"
Tread Depth 20/32

#13

Base Width 12 3/4"
Tread Depth 20/32

#14

Base Width 13 1/4"
Tread Depth 20/32

Tire Size	BW	TD	Pneumatic	Filled	Solid
1000-20	9	¾	272.44	318.76	354.18
1000-20	9	1	363.26	425.01	472.24
1000-20	10	¾	302.72	354.18	393.53
1000-20	10	1	403.62	472.24	524.71
10-16.5	10	¾	218.59	255.75	284.17
10-16.5	10	1	291.45	341.00	378.89
1100-20	10	¾	306.24	358.30	398.11
1100-20	10	1	408.32	477.73	530.81
1200-20	11	¾	350.41	409.98	455.54
1200-20	11	1	467.22	546.64	607.38
12-16.5	11	¾	258.72	302.71	336.34
12-16.5	11	1	344.97	403.61	448.46
12-5-80-18	10	¾	281.03	328.81	365.34
12-5-80-18	10	1	374.71	438.41	487.12
1300-24	12	¾	429.07	502.01	557.79
1300-24	12	1	572.09	669.35	743.72
1400-24	12	¾	456.02	533.54	592.82
1400-24	12	1	608.02	711.39	790.43
1400-25	12	¾	464.47	543.42	603.81
1400-25	12	1	619.29	724.57	805.07
14-17.5	12	¾	317.56	371.54	412.82
14-17.5	12	1	423.41	495.39	550.43
15-19.5	12	¾	351.52	411.28	456.97
15-19.5	12	1	468.69	548.37	609.30
15.5-25	12	¾	439.29	513.97	571.08
15.5-25	12	1	585.72	685.29	761.44
17.5-25	12	¾	464.63	543.62	604.03
17.5-25	12	1	619.51	724.83	805.37
20.5-25	16	¾	687.10	803.90	893.22
20.5-25	16	1	916.13	1071.87	1190.97
21-8-9	8	¾	121.09	141.67	157.41
21-8-9	8	1	161.45	188.90	209.88
23-10-12	9	¾	158.40	185.33	205.92
23-10-12	9	1	211.20	247.10	274.56
23-9-10	8	¾	129.53	151.56	168.39
23-9-10	8	1	172.71	202.07	224.53
250-15	9	¾	190.08	222.39	247.10
250-15	9	1	253.44	296.52	329.47
27-10-12	9	¾	175.76	205.64	228.49
27-10-12	9	1	234.34	274.18	304.65
27-8.5-15	8	¾	154.20	180.42	200.46
27-8.5-15	8	1	205.60	240.56	267.28
28-12.50-15	11	¾	228.45	267.28	296.98
28-12.50-15	11	1	304.59	356.37	395.97
28-9-15	8	¾	160.51	187.80	208.66
28-9-15	8	1	214.01	250.40	278.22
300-15	10	¾	237.74	278.15	309.06
300-15	10	1	316.98	370.87	412.08
31-6-10	10	¾	218.24	255.34	283.71
31-6-10	10	1	290.98	340.45	378.28
31-10-20	10	¾	218.24	255.34	283.71
31-10-20	10	1	290.98	340.45	378.28
33-6-11	11	¾	255.55	298.99	332.21
33-6-11	11	1	340.73	398.66	442.95
33-12-20	11	¾	255.55	298.99	332.21
33-12-20	11	1	340.73	398.66	442.95



Slick

BW = Base Width

TD = Tread Depth

McCoy's Industrial Tire South

3005 Central Avenue
Ceres, CA 95307

P: 209-537-4881

F: 209-537-7388

E: mccoysindustrial@yahoo.com

Tire Size	BW	TD	Pneumatic	Filled	Solid
33x15.5x16.5	12	¾	278.78	326.17	362.42
33x15.5x16.5	12	1	371.71	434.90	483.22
355-65-15	11	¾	263.29	308.05	342.28
355-65-15	11	1	351.06	410.74	456.37
570-12	7	¾	113.59	132.90	147.67
570-12	7	1	151.45	177.20	196.89
600-9	7	¾	108.41	126.85	140.94
600-9	7	1	144.55	169.13	187.92
650-10	7	¾	117.04	136.94	152.15
650-10	7	1	156.05	182.58	202.87
700-12	7	¾	133.05	155.67	172.97
700-12	7	1	177.41	207.56	230.63
700-15	7	¾	147.84	172.97	192.19
700-15	7	1	197.12	230.63	256.25
750-15	7	¾	152.77	178.74	198.60
750-15	7	1	203.69	238.32	264.79
750-16	7	¾	162.62	190.27	211.41
750-16	7	1	216.83	253.69	281.88
825-15	8	¾	190.08	222.39	247.10
825-15	8	1	253.44	296.52	329.47
825-20	8	¾	214.01	250.40	278.22
825-20	8	1	285.35	333.86	370.96
900-20	9	¾	259.77	303.93	337.70
900-20	9	1	346.36	405.25	450.27



Slick

BW = Base Width

TD = Tread Depth